

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

PERCUTANEOUS FIXATOR AND METHOD OF  
INSERTION




Fig. 1

22-141 50 SHEETS  
22-142 100 SHEETS  
22-144 200 SHEETS

22-141 50 SHEETS  
22-142 100 SHEETS  
22-144 200 SHEETS




Fig. 2A




Fig. 2B




Fig. 2C





Fig. 2D




Fig. 2E

22-141 50 SHEETS  
22-142 100 SHEETS  
22-144 200 SHEETS




Fig. 3A

Fig. 3B




Fig. 3C

PERCUTANEOUS FIXATOR AND METHOD OF INSERTION





Fig. 4

22-141 50 SHEETS  
22-142 100 SHEETS  
22-144 200 SHEETS

AMFAD

PERCUTANEOUS FIXATOR AND METHOD OF  
INSERTION







Fig. 6








Fig. 8

22-141 50 SHEETS  
22-142 100 SHEETS  
22-144 200 SHEETS




Fig. 9